

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-49. (Canceled)

50. (Withdrawn) A method of creating a continuous ablation lesion in heart tissue, comprising the steps of:

providing a first ablating section and a second ablating section, the first and second ablating sections each having an end and an ablating element;

positioning the first and second ablating sections in contact with the epicardium;

wrapping the first and second ablating sections around at least one vessel;

interlocking the first and second sections to form a closed loop around the at least one vessel.

51. (Withdrawn) A method of creating a continuous lesion in tissue, comprising the steps of:

providing an ablating device having an ablating element;

positioning the ablating device in contact with the epicardium;

ablating tissue to create a first lesion;

moving the ablating device to a location adjacent the first lesion;

ablating tissue with the ablating element to create a second lesion which is continuous with the first lesion.

52. (Withdrawn) A method of creating a lesion from an epicardial location, comprising the steps of:

providing a first device and a second device slidably coupled to the first device, at least one of the first and second devices having an ablating element;

introducing the first and second devices into the pericardial space;
ablating tissue to form a first lesion with the ablating element;
moving at least one of the first and second devices relative to the other;
and
forming a second lesion after the moving step.

53. (Withdrawn) A method of ablating cardiac tissue, comprising
the steps of:

providing an ablating device having an ablating element and a suction well,
the suction well being coupled to a suction line which is coupled to a vacuum source,
the ablating device also having means for determining when the suction well is
adhered to the epicardium;

positioning the ablating device against the patient's epicardium;
adhering the ablating device to the epicardium with the suction well; and
ablating tissue with the ablating element after the adhering step.

54. (Withdrawn) The method of claim 53, wherein:
the providing step is carried out with the determining means being a
sensor selected from the group of sensors consisting of a flow rate sensor, a
pressure sensor and an electric circuit.

55-82. (Canceled)

83. (New) A device for ablating tissue, the device comprising an
elongate body having an end, the elongate body having at least one ablating
element; and
at least one suction well that surrounds the at least one ablating element.

84. (New) The device of claim 83, wherein the elongate body has a
plurality of ablating elements and a plurality of suction wells, and wherein each of

the plurality of suction wells surrounds at least one of the plurality of ablating elements.

85. (New) The device of claim 84, wherein the plurality of suction wells are coupled to a suction lumen.

86. (New) The device of claim 85, wherein the suction lumen is formed by a tube attached to the body.

87. (New) The device of claim 86, wherein a fluid outlet is coupled to the suction lumen.

88. (New) The device of claim 84 further comprising a first suction lumen coupled to a first fraction of the plurality of suction wells and a second suction lumen coupled to a second fraction of the plurality of suction wells.

89. (New) The device of claim 83, wherein the at least one suction well is formed between an inner lip and an outer lip.

90. (New) The device of claim 89, further comprising
at least one fluid chamber, wherein the inner lip forms a boundary between the at least one fluid chamber and the at least one suction well; and
a fluid inlet and a fluid outlet, the fluid inlet and the fluid outlet being adapted to pass a fluid into and out of the at least one fluid chamber.

91. (New) The device of claim 83, further comprising a pressure sensor positioned along the suction lumen, the pressure sensor adapted to detect the adequacy of contact of the suction well to a tissue.

92. (New) The device of claim 83, further comprising a flow rate sensor positioned along the suction lumen, the flow rate sensor adapted to detect the adequacy of contact of the suction well to a tissue.

93. (New) The device of claim 83, further comprising an electric circuit positioned along the suction lumen, the electric circuit adapted to detect the adequacy of contact of the suction well to a tissue.

94. (New) The device of claim 83, wherein the at least one suction well further comprises a suction port coupled to a suction lumen.

95. (New) The device of claim 94, wherein a cross section of the suction port is less than or equal to about 10% of a cross-section of the suction lumen.